

## Moth Night: 10 September 2015 to 12 September 2015

by Mark Tunmore & Les Evans-Hill

### Appendix 1

The analyses of Moth Night (MN) 2015 data are presented here; County Moth Recorders were given the opportunity to check records for their respective vice-counties, rejecting records where doubt existed.

#### Key Statistics

	10 <sup>th</sup>	11 <sup>th</sup>	12 <sup>th</sup>	Totals
Records received:	6,530	6,480	5,368	<b>18,378</b>
Minimum total moth count:	27,202	30,433	20,162	<b>77,797</b>
No. of recorded sites:	431	388	375	<b>*884</b>
No. of recorded vice-counties:	86	85	80	<b>*101</b>
No. of Macro-moth species:	237	234	212	<b>*306</b>
No. of Micro-moth species:	199	223	187	<b>*317</b>
<b>Species total:</b>	<b>436</b>	<b>457</b>	<b>399</b>	<b>*623</b>

\*Aggregate over the 3 nights.

#### Recording Methods

Mercury vapour (MV)	425
Actinic	223
Other method	209
<b>Total:</b>	<b>857</b>




Figure 2. Distribution of recorded sites, MN 2015.

Most Abundant Macros/Micros, UKBAP/Section 41 and Immigrants detail the total number of individuals recorded from amalgamated sites recorded over the 3 nights.

#### Most Abundant Macros (Minimum Counts)

<b>Large Yellow Underwing</b> <i>Noctua pronuba</i>	26,005	from	1058 sites
<b>Square-spot Rustic</b> <i>Xestia xanthographa</i>	6,208	from	827 sites

<b>Setaceous Hebrew Character</b> <i>Xestia c-nigrum</i>	4,992	from	628 sites
<b>Lesser Yellow Underwing</b> <i>N. comes</i>	3,797	from	788 sites
<b>Small Square-spot</b> <i>Diarsia rubi</i>	2,109	from	397 sites
<b>Flounced Rustic</b> <i>Luperina testacea</i>	1,680	from	454 sites
<b>Vine's Rustic</b> <i>Hoplodrina ambigua</i>	1,603	from	298 sites
<b>Silver Y</b> <i>Autographa gamma</i>	1,517	from	435 sites
<b>Brimstone Moth</b> <i>Opisthograptis luteolata</i>	975	from	364 sites
<b>Common Wainscot</b> <i>Mythimna pallens</i>	750	from	245 sites

### Most Abundant Micros (Minimum Counts)

<b>Light Brown Apple Moth</b> <i>Epiphyas postvittana</i>	1,930	from	415 sites
<b>Bird-cherry Ermine</b> <i>Yponomeuta evonymella</i>	610	from	11 sites
<b>Blastobasis adustella</b>	299	from	118 sites
<b>Garden Rose Tortrix</b> <i>Acleris variegana</i>	288	from	189 sites
<b>Celypha lacunana</b>	219	from	113 sites
<b>Common Plume</b> <i>Emmelina monodactyla</i>	123	from	82 sites
<b>Teleiopsis diffinis</b>	113	from	7 sites
<b>Horse Chestnut Leaf Miner</b> <i>Cameraria ohridella</i>	105	from	6 sites
<b>Acleris laterana/comariana</b>	99	from	46 sites
<b>Brown House Moth</b> <i>Hofmannophila pseudospretella</i>	96	from	70 sites

### UK Biodiversity Action Plan (UKBAP) Priority/Section 41 Species


<b>Black-banded</b> <i>Polymixis xanthomista</i>	3	from	3 sites
<b>Lunar Yellow Underwing</b> <i>Noctua orbona</i>	29	from	16 site
<b>Square-spotted Clay</b> <i>Scotopteryx bipunctaria</i>	4	from	4 sites

### Immigrants

The following species are traditionally regarded as immigrants, though local breeding is possible for a proportion of records for some species. This list also includes some species considered resident in the Channel Islands (VC113).

<b>Silver Y</b> <i>Autographa gamma</i>	63	from	45 sites
<b>White-point</b> <i>Mythimna albipuncta</i>	46	from	18 sites
<b>Rush Veneer</b> <i>Nomophila noctuella</i>	2	from	2 sites

<b>Rusty-dot Pearl</b> <i>Udea ferrugalis</i>	60	from	26 sites
<b>Dark Sword-grass</b> <i>Agrotis ipsilon</i>	13	from	11 sites
<b>Diamond-back Moth</b> <i>Plutella xylostella</i>	258	from	76 sites
<b>Vestal</b> <i>Rhodometra sacraria</i>	63	from	48 sites
<b>Scarce Bordered Straw</b> <i>Helicoverpa armigera</i>	55	from	39 sites
<b>Four-spotted Footman</b> <i>Lithosia quadra</i>	45	from	20 sites
<b>Convolvulus Hawk-moth</b> <i>Agrius convolvuli</i>	35	from	31 sites
<b>Humming-bird Hawk-moth</b> <i>Macroglossum stellatarum</i>	35	from	29 sites
<b>Small Mottled Willow</b> <i>Spodoptera exigua</i>	34	from	22 sites
<b>Pearly Underwing</b> <i>Peridroma saucia</i>	19	from	16 sites
<b>Clifden Nonpareil</b> <i>Catocala fraxini</i>	17	from	16 sites
<b>Bordered Straw</b> <i>Heliothis peltigera</i>	17	from	11 sites
<b>Ni Moth</b> <i>Trichoplusia ni</i>	13	from	4 sites
<b>White-speck</b> <i>M. unipuncta</i>	8	from	4 sites
<b>Palpita vitrealis</b>	7	from	6 sites
<b>Delicate</b> <i>M. vitellina</i>	5	from	5 sites
<b>Blastobasis rebeli</b>	3	from	3 sites
<b>Dewick's Plusia</b> <i>Macdunnoughia confusa</i>	2	from	2 sites
<b>Cydia amplana</b>	2	from	1 site
<b>Barea asbolaea</b>	1	from	1 site
<b>Tebenna micalis</b>	1	from	1 site
<b>Acrobasis tumidana</b>	1	from	1 site
<b>Dusky Hook-tip</b> <i>Drepana curvatula</i>	1	from	1 site
<b>Striped Hawk-moth</b> <i>Hyles livornica</i>	1	from	1 site
<b>Blair's Mocha</b> <i>Cyclophora puppillaria</i>	1	from	1 site
<b>Gem</b> <i>Nycterosea obstipata</i>	1	from	1 site
<b>Oak Processionary</b> <i>Thaumetopoea processionea</i>	1	from	1 site
<b>Plumed Fan-foot</b> <i>Pechipogo plumigeralis</i>	1	from	1 site
<b>Tree-lichen Beauty</b> <i>Cryphia algae</i>	1	from	1 site



**Figure 5.** Distribution of immigrant species, MN 2015.

### Highest Counts of a Single Species from One Site (one entry per species)

<b>Bird-cherry Ermine</b> <i>Yponomeuta evonymella</i>	577	from	Colt Park, Mid-west Yorkshire
<b>Agriphila geniculea</b>	548	from	Landguard Bird Observatory, East Suffolk
<b>Setaceous Hebrew Character</b> <i>Xestia c-nigrum</i>	423	from	St Margaret's at Cliffe, East Kent
<b>Square-spot Rustic</b> <i>X. xanthographa</i>	234	from	Ryton Pools Country Park, Warwickshire
<b>Large Yellow Underwing</b> <i>Noctua pronuba</i>	223	from	Swanage, Dorset
<b>Silver Y</b> <i>Autographa gamma</i>	150	from	Spurn Point, South-east Yorkshire
<b>Horse Chestnut Leaf Miner</b> <i>Cameraria ohridella</i>	100	from	Loosley Row, Buckinghamshire
<b>Vine's Rustic</b> <i>Hoplodrina ambigua</i>	77	from	Hollesley, East Suffolk
<b>Small Square-spot</b> <i>Diarsia rubi</i>	60	from	Raddon, Thorverton, Nr Exeter, South Devon
<b>Feathered Gothic</b> <i>Tholera decimalis</i>	54	from	Noss Mayo: The Warren, South Devon

### Significant Records

<b>Dewick's Plusia</b>	Upper Stondon	New VC30 record	Jan England
<i>Macdunnoughia confusa</i>			
<b>Bactra lacteana</b>	Crymlyn Bog	New VC41 record	Chris Manley; Martin White

### Vice-county Table

This table presents summary information for each vice-county that returned data. Some information was returned pertaining to the number of guests attending organised events; public event attendance figures are in brackets where known; a question mark denotes no attendance figure supplied. The 'Species Total' column shows the total number of species recorded (bold) and the breakdown of first macro- and then micro-moth species. The number of recorders is the minimum count as multiple recorders are listed for some sites.

Vice-county		Sites	Recorders (Guests)	Records Total	SpeciesTotal macro/micro
1	West Cornwall	14	10 (11)	414	<b>97</b> 68/29
2	East Cornwall	11	11 (10)	176	<b>73</b> 44/29
3	South Devon	29	20 (13)	563	<b>123</b> 84/39
4	North Devon	8	5 (24)	237	<b>82</b> 55/27
5	South Somerset	8	8 (15)	141	<b>60</b> 47/13
6	North Somerset	9	7 (10)	200	<b>76</b> 53/23
7	North Wiltshire	3	3	12	<b>11</b> 10/1
8	South Wiltshire	4	9	171	<b>83</b> 46/37
9	Dorset	23	20 (32)	588	<b>144</b> 90/54
10	Isle of Wight	4	5 (7)	223	<b>109</b> 72/37
11	South Hampshire	33	22 (13)	854	<b>202</b> 108/94
12	North Hampshire	7	5	172	<b>88</b> 52/36
13	West Sussex	7	4	156	<b>72</b> 42/30
14	East Sussex	10	9 (44)	240	<b>88</b> 52/36
15	East Kent	24	21	997	<b>167</b> 100/67
16	West Kent	7	5	120	<b>73</b> 53/20
17	Surrey	16	18 (27)	401	<b>118</b> 80/38
18	South Essex	15	15 (30)	302	<b>94</b> 67/27
19	North Essex	5	5 (20)	98	<b>52</b> 39/13
20	Hertfordshire	7	6 (14)	140	<b>63</b> 49/14
21	Middlesex	12	10	144	<b>69</b> 46/23
22	Berkshire	11	10	255	<b>75</b> 49/26
23	Oxfordshire	9	9 (5)	134	<b>61</b> 47/14
24	Buckinghamshire	16	11 (7)	244	<b>81</b> 56/25
25	East Suffolk	23	15 (20)	1034	<b>209</b> 106/103
26	West Suffolk	2	1	43	<b>33</b> 26/7
27	East Norfolk	19	15 (43)	587	<b>123</b> 81/42
28	West Norfolk	10	8	162	<b>61</b> 52/9
29	Cambridgeshire	10	7	189	<b>57</b> 49/8
30	Bedfordshire	17	13 (22)	453	<b>92</b> 58/34
31	Huntingdonshire	21	16	444	<b>113</b> 65/48
32	Northamptonshire	6	5 (5)	140	<b>60</b> 43/17
33	East Gloucestershire	11	9	137	<b>67</b> 44/23
35	Monmouthshire	3	3	43	<b>32</b> 28/4
36	Herefordshire	4	4	27	<b>20</b> 18/2
37	Worcestershire	6	5 (21)	158	<b>68</b> 53/15
38	Warwickshire	25	15 (?)	468	<b>104</b> 68/36
39	Staffordshire	7	8	147	<b>88</b> 51/37

40	Shropshire	8	8 (10)	76	<b>34</b>	31/3
41	Glamorgan	10	7 (2)	214	<b>94</b>	53/41
42	Breconshire	6	5	91	<b>45</b>	33/12
43	Radnorshire	10	9	134	<b>65</b>	49/16
44	Carmarthenshire (Caerfyrddyn)	16	7	401	<b>115</b>	73/42
45	Pembrokeshire	8	5 (15)	205	<b>94</b>	56/38
46	Cardiganshire (Ceredigion)	6	5	113	<b>46</b>	39/7
47	Montgomeryshire	4	3 (13)	106	<b>52</b>	35/17
48	Merionethshire (Meirionnydd)	1	1	2	<b>2</b>	2/0
51	Flintshire	2	2	29	<b>25</b>	20/5
53	South Lincolnshire	4	4	28	<b>20</b>	18/2
54	North Lincolnshire	3	3	82	<b>53</b>	33/20
55	Leicestershire (with Rutland)	32	29 (31)	669	<b>114</b>	67/47
56	Nottinghamshire	11	9 (6)	206	<b>57</b>	54/3
57	Derbyshire	6	6	127	<b>57</b>	46/11
58	Cheshire	41	22 (31)	595	<b>112</b>	64/48
59	South Lancashire	24	15	166	<b>57</b>	46/11
60	West Lancashire	32	16	803	<b>153</b>	88/65
61	South-east Yorkshire	24	13	490	<b>90</b>	56/34
62	North-east Yorkshire	19	19	348	<b>78</b>	56/22
63	South-west Yorkshire	28	19	312	<b>89</b>	59/30
64	Mid-west Yorkshire	15	14 (7)	182	<b>77</b>	51/26
65	North-west Yorkshire	3	3	67	<b>49</b>	36/13
66	Durham	16	12 (?)	183	<b>56</b>	36/20
67	South Northumberland	1	1	23	<b>17</b>	13/4
68	North Northumberland (Cheviot)	2	2	32	<b>27</b>	22/5
69	Westmorland with North Lancashire	7	4	86	<b>47</b>	32/15
70	Cumberland	3	3	46	<b>34</b>	29/5
71	Isle of Man	1	1	21	<b>20</b>	17/3
72	Dumfriesshire	1	1 (6)	27	<b>21</b>	19/2
76	Renfrewshire	13	1	78	<b>43</b>	33/10
77	Lanarkshire	3	2	18	<b>15</b>	12/3
78	Peeblesshire	2	1	26	<b>17</b>	14/3
79	Selkirkshire	1	1	14	<b>14</b>	14/0
80	Roxburghshire	2	2 (14)	29	<b>25</b>	24/1
81	Berwickshire	2	1	19	<b>18</b>	18/0
82	East Lothian (Haddington)	3	2	53	<b>24</b>	22/2
83	Midlothian (Edinburgh)	3	2	39	<b>23</b>	21/2
85	Fifeshire (with Kinross)	1	1	3	<b>3</b>	3/0
86	Stirlingshire	1	1 (5)	14	<b>11</b>	11/0
87	West Perthshire (with Clackmannan)	2	2	26	<b>16</b>	15/1
88	Mid Perthshire	2	2 (11)	60	<b>36</b>	32/4
89	East Perthshire	1	1	5	<b>5</b>	5/0
90	Angus (Forfar)	1	1 (25)	41	<b>33</b>	22/11
91	Kincardineshire	2	3 (15)	68	<b>33</b>	27/6
92	South Aberdeenshire	2	2	24	<b>13</b>	11/2
93	North Aberdeenshire	1	1 (30)	4	<b>4</b>	4/0
95	Moray (Elgin)	2	2	20	<b>17</b>	16/1
96	East Inverness-shire (with Nairn)	9	5 (32)	200	<b>67</b>	45/22
97	West Inverness-shire	7	1	101	<b>45</b>	45/0
98	Argyll Main	3	3 (11)	54	<b>36</b>	27/9
101	Kintyre	1	1	9	<b>9</b>	9/0
106	East Ross	1	1	40	<b>40</b>	32/8

108	West Sutherland	1	1	16	<b>14</b>	12/2
109	Caithness	1	2	15	<b>9</b>	7/2
110	Outer Hebrides	1	1	40	<b>40</b>	31/9
113	Channel Islands	5	4	274	<b>105</b>	70/35
H12	Wexford	1	1	32	<b>32</b>	30/2
H33	Fermanagh	2	1 (47)	104	<b>43</b>	33/10
H38	Down	6	3 (108)	34	<b>18</b>	15/3
H39	Antrim	2	2 (15)	28	<b>18</b>	17/1
H40	Londonderry	1	1	11	<b>11</b>	11/0

## Appendix 2

### Systematic Section

This section details all the species reported over the three nights. The first figure depicts how many individuals of each species were recorded; the second figure is the total number of sites at which the species was recorded. Following the number of sites is a guide to the location of these sites; where a species was only recorded from a single site this is named with the vice-county number in brackets; where a species was recorded from  $\leq$  five sites, the vice-county numbers are listed and for more widespread species the regions are given as defined in the table below.

Critical species normally requiring confirmation by reference to genitalia continue to be accepted as submitted rather than being placed into aggregate groups; however, vice-county moth recorders retain the right to reject these data or aggregate them as necessary. Vague records such as ‘*Acleris* sp.’ or ‘Pug sp.’ are rejected.

Where reasonably possible, all records using the same site name and/or within the same 1km square are classed as a single site and where a species was recorded as ‘0’ or ‘present’ with no assessment of abundance, this was replaced by ‘1’, the minimum count required.

Nomenclature follows that defined by the current MapMate Taxa Library; binomials are used throughout, except where ambiguity with the vernacular may exist between sub-species and forms.

### Table defining regions and their attendant vice-counties:

Symbol/Region	Vice-counties	Symbol/Region	Vice-counties
A Channel Islands	113	I North-west	58–60, 69–70
B South-west	1–9, 33–34	J Yorkshire and The Humber	61–65
C South-east	10–17, 22–24	K North East	66–68
D East of England	18–21, 25–31	L Isle of Man	71
E East Midlands	32, 53–57	M Southern Scotland	72–84
F West Midlands	36–40	N Central Scotland	85–103
G South Wales	35, 41–46	O Northern Scotland	104–112
H North Wales	47–52	P Ireland	H1–H39

*Oegoconia* sp. 1/1 Cottingham (VC61)

#### Uncertain/Rustic agg.

*Hoplodrina alsines/blanda* 77/22 BCDE

#### Dark Dagger / Grey Dagger

*Acronicta tridens/psi* 4/4 15,24,58,60

#### Common Rustic agg.

*Mesapamea secalis* agg. 208/127 ABCDEFGHIJKMNOP

#### Copper Underwing agg.

*Amphipyra pyramidea* agg. 128/83 BCDEFGIJKMN

<b><i>Acleris laterana/comariana</i></b>	99/46	CFIJKN
<b>November Moth agg.</b>		
<i>Epirrita dilutata</i> agg.	1/1	Skyreholme (VC64)
<b>Small White-line Dart</b>		
<i>Euxoa crypta</i>	1/1	Formby (VC59)
<b>Ear Moth agg.</b>		
<i>Amphipoea oculea</i> agg.	121/29	DIJMNOP
<b><i>Caloptilia alchimiella/robustella</i></b>	3/2	11,17
<b><i>Yponomeuta padella/malinellus</i></b>	1/1	Cardiff (VC41)
<b>Orange Swift</b>		
<i>Triodia sylvina</i>	117/63	BCDEFGJ
<b>Common Swift</b>		
<i>Korscheltellus lupulina</i>	7/4	2,10
<b>Ghost Moth</b>		
<i>Hepialus humuli</i>	1/1	RSPB Rainham Marshes (VC18)
<b><i>Stigmella confusella</i></b>	1/1	Keeping's Copse (VC11)
<b><i>Stigmella microtheriella</i></b>	20/1	Bailey's Hard (VC11)
<b><i>Stigmella floslactella</i></b>	1/1	Keeping's Copse (VC11)
<b><i>Stigmella continuella</i></b>	1/1	Keeping's Copse (VC11)
<b><i>Stigmella aurella</i></b>	4/2	11
<b><i>Stigmella samiatella</i></b>	1/1	Hollesley (VC25)
<b><i>Ectoedemia sericopeza</i></b>	2/2	60
<b><i>Ectoedemia decentella</i></b>	1/1	Tarring (VC13)
<b><i>Ectoedemia atricollis</i></b>	1/1	Hatchet Pond (VC11)
<b><i>Tischeria dodonaea</i></b>	1/1	Botley Wood (VC11)
<b><i>Coptotriche marginea</i></b>	21/16	BCD
<b>Cork Moth</b>		
<i>Nemapogon cloacella</i>	1/1	Samphire Hoe (VC15)
<b><i>Nemapogon clematella</i></b>	2/2	11,41
<b>Case-bearing Clothes Moth</b>		
<i>Tinea pellionella</i>	3/3	44,60
<b><i>Tinea semifulvella</i></b>	4/4	3,17,25,27
<b><i>Tinea trinotella</i></b>	1/1	Lover (VC8)
<b>Brown-dotted Clothes Moth</b>		
<i>Niditinea fuscella</i>	1/1	Repps-with-Bastwick (VC27)
<b>Skin Moth</b>		
<i>Monopis laevigella</i>	1/1	Loosley Row (VC24)
<b><i>Monopis weaverella</i></b>	2/2	25,54
<b><i>Monopis crocicapitella</i></b>	1/1	Brighton (VC14)
<b><i>Monopis monachella</i></b>	3/1	Orford Ness NNR (VC25)
<b><i>Roeslerstammia erxlebelli</i></b>	1/1	Ipswich (VC25)
<b><i>Caloptilia populetorum</i></b>	1/1	Swynnerton Training Area (VC39)
<b><i>Caloptilia rufipennella</i></b>	1/1	Colt Park (VC64)
<b>Azalea Leaf Miner</b>		
<i>Caloptilia azaleella</i>	4/4	9,13,41,113
<b><i>Caloptilia alchimiella</i></b>	2/2	9,58
<b><i>Caloptilia robustella</i></b>	4/2	9,25
<b><i>Caloptilia stigmatella</i></b>	3/2	11,41
<b><i>Caloptilia semifascia</i></b>	2/2	3,6
<b><i>Gracillaria syringella</i></b>	16/7	BCDI



<i>Calybites phasianipennella</i>	1/1	Baubigny (VC113)
<i>Phyllonorycter messaniella</i>	6/5	CDI
<i>Phyllonorycter platani</i>	1/1	Southsea (VC11)
<i>Phyllonorycter oxyacanthae</i>	2/1	Bailey's Hard (VC11)
<b>Firethorn Leaf Miner</b>		
<i>Phyllonorycter leucographella</i>	6/5	CFGJ
<b>Nut Leaf Blister Moth</b>		
<i>Phyllonorycter coryli</i>	52/3	11,45
<i>Phyllonorycter ulmifoliella</i>	2/1	Purdis Farm (VC25)
<i>Phyllonorycter tristigella</i>	2/1	Bailey's Hard (VC11)
<i>Phyllonorycter nicellii</i>	3/2	11
<i>Phyllonorycter acerifoliella</i>	3/2	11
<i>Phyllonorycter joannisi</i>	1/1	Southsea (VC11)
<i>Phyllonorycter geniculella</i>	3/3	25,113
<b>Horse Chestnut Leaf Miner</b>		
<i>Cameraria ohridella</i>	105/6	CDIK
<b>Bird-cherry Ermine</b>		
<i>Yponomeuta evonymella</i>	601/11	EFGIJKNP
<b>Apple Ermine</b>		
<i>Yponomeuta malinellus</i>	3/2	16,41
<b>Spindle Ermine</b>		
<i>Yponomeuta cagnagella</i>	1/1	Bannerdown Common (VC6)
<i>Yponomeuta plumbella</i>	1/1	Chittlehampton (VC4)
<i>Swammerdamia caesiella</i>	1/1	Botley Wood (VC11)
<i>Swammerdamia pyrella</i>	2/2	13
<i>Paraswammerdamia albicapitella</i>	1/1	The Old Brickfield SNCI (VC14)
<i>Cedestis gysselella</i>	1/1	Abernethy Forest RSPB (VC96)
<i>Cedestis subfasciella</i>	1/1	Southfleet (VC16)
<b>Honeysuckle Moth</b>		
<i>Ypsolopha dentella</i>	13/12	BCDGIJN
<i>Ypsolopha scabrella</i>	5/6	CDFGI
<i>Ypsolopha alpella</i>	4/4	12,25,58
<i>Ypsolopha sylvella</i>	4/4	17,25,38
<i>Ypsolopha parenthesesella</i>	66/43	BCDEFGHIJN
<i>Ypsolopha ustella</i>	5/4	31,38,60
<i>Ypsolopha sequella</i>	18/15	CDEFIJ
<b>Diamond-back Moth</b>		
<i>Plutella xylostella</i>	80/49	ABCDEFGHIJKN
<i>Plutella porrectella</i>	2/2	58,66
<i>Argyresthia goedartella</i>	21/15	CDFGIJN
<i>Argyresthia pygmaeella</i>	1/1	Herring Head Wood (VC60)
<i>Argyresthia semifusca</i>	1/1	Poynton (VC58)
<i>Argyresthia bonnetella</i>	2/2	58,60
<i>Argyresthia albistria</i>	3/2	11,61
<i>Argyresthia semitestacella</i>	2/2	60
<b>Apple Leaf Miner</b>		
<i>Lyonetia clerkella</i>	17/11	BCFGI
<b>Ash Bud Moth</b>		
<i>Prays fraxinella</i>	5/4	9,10,12,30
<i>Bedellia somnulentella</i>	1/1	Old Weston (VC31)

<b>Hawthorn Moth</b>		
<i>Scythropia crataegella</i>	1/1	Wimbledon Common (VC17)
<b>White-shouldered House-moth</b>		
<i>Endrosis sarcitrella</i>	59/46	BCDEFGHIKOP
<b>Brown House-moth</b>		
<i>Hofmannophila pseudospretella</i>	96/70	ABCDEGIJKNO
<b>Borkhausenia fuscescens</b>	1/1	Unknown (VC63)
<b>Tachystola acroxantha</b>	50/27	BCDI
<b>Barea asbolaea</b>	1/1	Buryas Bridge (VC1)
<b>Diurnea fagella</b>	1/1	Ouaisne Common SSI (VC113)
<b>Carcina quercana</b>	33/27	ABCDEF
<b>Agonopterix ocellana</b>	5/5	CG
<b>Agonopterix purpurea</b>	1/1	Loosley Row (VC24)
<b>Agonopterix subpropinqua</b>	3/3	1,63
<b>Agonopterix arenella</b>	32/28	BCDFGHIJK
<b>Agonopterix heracliata</b>	14/12	BCEGIJ
<b>Agonopterix assimilella</b>	1/1	Abernethy Forest RSPB (VC96)
<b>Agonopterix umbellana</b>	10/8	BCDGM
<b>Agonopterix nervosa</b>	5/5	DJK
<b>Agonopterix alstromeriana</b>	8/9	BDE
<b>Agonopterix yeatiana</b>	2/1	Batcombe Vale Camp Site (VC6)
<b>Parsnip Moth</b>		
<i>Depressaria radiella</i>	20/16	BCDGN
<b>Depressaria badiella</b>	6/3	25,39
<b>Depressaria daucella</b>	1/1	Marloes (VC45)
<b>Limnaecia phragmitella</b>	1/1	Swynnerton Training Area (VC39)
<b>Cosmopterix pulchrimella</b>	1/1	Baubigny (VC113)
<b>Aproaerema anthyllidella</b>	3/2	15,61
<b>Anacampsis populella</b>	1/1	Botley Wood (VC11)
<b>Nothris congressariella</b>	3/2	4
<b>Hypatima rhomboidella</b>	11/9	CFIJNO
<b>Helcystogramma rufescens</b>	17/5	D
<b>Bryotropha domestica</b>	10/8	CDIJ
<b>Bryotropha terrella</b>	1/1	Landguard Bird Observatory (VC25)
<b>Bryotropha senectella</b>	1/1	Old Weston (VC31)
<b>Bryotropha affinis</b>	5/4	58,60
<b>Mirificarma mulinella</b>	13/6	BDG
<b>Aroga velocella</b>	2/1	Purdis Farm (VC25)
<b>Gelechia hippophaella</b>	3/3	61
<b>Scrobipalpa acuminatella</b>	1/1	Kew (VC61)
<b>Scrobipalpa costella</b>	9/10	BCDFK
<b>Caryocolum marmorea</b>	5/2	25
<b>Caryocolum blandella</b>	1/1	Pencader (VC44)
<b>Caryocolum tricolorella</b>	4/2	60
<b>Teleiopsis diffinis</b>	113/7	CDI
<b>Stenolechia gemmella</b>	5/5	CI
<b>Clover Case-bearer</b>		
<i>Coleophora alcyonipennella</i>	1/1	Old Weston (VC31)
<b>Coleophora lineolea</b>	1/1	Sapcote (VC55)
<b>Coleophora saxicolella</b>	1/1	Old Weston (VC31)

<b><i>Elachista obliquella</i></b>	1/1	Botley Wood (VC11)
<b><i>Elachista canapennella</i></b>	9/7	BDFG
<b><i>Elachista maculicerusella</i></b>	2/2	27
<b><i>Mompha subbistrigella</i></b>	4/4	11,24,60
<b><i>Mompha epilobiella</i></b>	2/2	60
<b><i>Mompha locupletella</i></b>	2/2	41,44
<b><i>Mompha raschkiella</i></b>	1/1	Purdis Farm (VC25)
<b><i>Blastobasis adustella</i></b>	299/118	ABCDEFGHIJKLMN
<b><i>Blastobasis lacticolella</i></b>	29/12	CIJ
<b><i>Blastobasis rebeli</i></b>	3/3	11,14,41
<b>Twenty-plume Moth</b>		
<i>Alucita hexadactyla</i>	18/17	BCDEGHINP
<b>Beautiful Plume</b>		
<i>Amblyptilia acanthadactyla</i>	32/22	BCDEGIJ
<b>Brown Plume</b>		
<i>Stenoptilia pterodactyla</i>	1/1	Old Weston (VC31)
<b>Saxifrage Plume</b>		
<i>Stenoptilia millieridactyla</i>	3/2	64
<b>Common Plume</b>		
<i>Emmelina monodactyla</i>	123/82	ABCDEFGHIJL
<b><i>Epermenia falciformis</i></b>	2/1	Crymlyn Bog (VC41)
<b><i>Anthophila fabriciana</i></b>	13/9	BCIKMO
<b><i>Prochoreutis myllerana</i></b>	4/1	Silverdale Moss RSPB (VC60)
<b><i>Tebenna micalis</i></b>	1/1	Penlee Point (VC2)
<b>Red-barred Tortrix</b>		
<i>Ditula angustiorana</i>	2/2	12,30
<b>Large Fruit-tree Tortrix</b>		
<i>Archips podana</i>	34/24	BCDI
<b>Rose Tortrix</b>		
<i>Archips rosana</i>	2/1	Beaminster (VC9)
<b><i>Argyrotaenia ljugiana</i></b>	1/1	Purdis Farm (VC25)
<b><i>Pandemis cinnamomeana</i></b>	19/7	BCG
<b>Chequered Fruit-tree Tortrix</b>		
<i>Pandemis corylana</i>	84/57	BCDEFGHIJP
<b>Barred Fruit-tree Tortrix</b>		
<i>Pandemis cerasana</i>	9/7	BCGI
<b>Dark Fruit-tree Tortrix</b>		
<i>Pandemis heparana</i>	18/12	BEFIN
<b>Carnation Tortrix</b>		
<i>Cacoecimorpha pronubana</i>	7/7	ACDEG
<b>Cyclamen Tortrix</b>		
<i>Clepsis spectrana</i>	4/4	25,64
<i>Clepsis consimilana</i>	8/8	BCDE
<b>Light Brown Apple Moth</b>		
<i>Epiphyas postvittana</i>	1930/415	ABCDEFGHIJKMP
<i>Eana osseana</i>	1/1	South Glendale (VC110)
<b>Grey Tortrix</b>		
<i>Cnephasia stephensiana</i>	2/2	1,63
<b>Flax Tortrix</b>		
<i>Cnephasia asseclana</i>	7/2	90

<b><i>Cnephasia conspersana</i></b>	2/2	45,110
<b><i>Cnephasia longana</i></b>	1/1	Landguard Bird Observatory (VC25)
<b><i>Acleris forsskaeana</i></b>	7/7	CDFI
<b>Strawberry Tortrix</b>		
<i>Acleris comariana</i>	4/3	54,57
<b><i>Acleris laterana</i></b>	92/58	ABCDEFGHIJKMNO
<b><i>Acleris sparsana</i></b>	10/10	CDEGI
<b>Rhomboid Tortrix</b>		
<i>Acleris rhombana</i>	18/19	BCDEGIJNP
<b><i>Acleris emargana</i></b>	70/47	BCDEFGHIMNOP
<b><i>Acleris effractana</i></b>	2/2	109,110
<b><i>Acleris schalleriana</i></b>	3/3	1
<b><i>Acleris cristana</i></b>	1/1	Pocket Park, EWS (VC29)
<b>Garden Rose Tortrix</b>		
<i>Acleris variegana</i>	288/189	ABCDEFGHIJKMNP
<b><i>Acleris aspersana</i></b>	10/10	CDFJNO
<b><i>Acleris ferrugana</i></b>	1/1	Beaminstor (VC9)
<b><i>Acleris literana</i></b>	3/3	37,39,69
<b><i>Pseudargyrotoza conwagana</i></b>	1/1	Landguard Bird Observatory (VC25)
<b><i>Phtheochroa inopiana</i></b>	2/2	4,14
<b><i>Cochylimorpha straminea</i></b>	10/7	BCGJ
<b><i>Agapeta hamana</i></b>	6/6	DEF
<b><i>Eupoecilia angustana</i></b>	2/2	11,14
<b><i>Aethes smeathmanniana</i></b>	0/1	Hollesley (VC25)
<b><i>Cochylis roseana</i></b>	1/1	Taunton (VC5)
<b><i>Cochylis hybridella</i></b>	40/8	CD
<b><i>Cochylis dubitana</i></b>	3/2	18,32
<b><i>Cochylis molliculana</i></b>	5/4	14,15,25
<b><i>Cochylis atricapitana</i></b>	50/16	BCDG
<b><i>Eudemis profundana</i></b>	1/1	Purdis Farm (VC25)
<b><i>Apotomis turbidana</i></b>	3/1	Royal Common (VC17)
<b><i>Apotomis betuletana</i></b>	61/30	BCDEFHIN
<b><i>Apotomis capreana</i></b>	0/1	Charnwood Lodge NR (VC55)
<b><i>Celypha striana</i></b>	3/3	2,15,60
<b><i>Celypha cespitana</i></b>	6/2	14,45
<b><i>Celypha lacunana</i></b>	219/113	ABCDEFGHIJN
<b><i>Lobesia abscisana</i></b>	2/2	25,55
<b><i>Lobesia littoralis</i></b>	3/2	3,58
<b><i>Bactra lancealana</i></b>	12/10	CGIJ
<b><i>Bactra lacteana</i></b>	1/1	Crymlyn Bog (VC41)
<b><i>Ancylis badiana</i></b>	6/6	IK
<b><i>Ancylis mitterbacheriana</i></b>	1/1	Botley Wood (VC11)
<b>Holly Tortrix</b>		
<i>Rhopobota naevana</i>	47/15	EGIN
<b>Bud Moth</b>		
<i>Spilonota ocellana</i>	3/3	21,25,63
<i>Epinotia trigonella</i>	20/11	KMNO
<i>Epinotia brunnichana</i>	4/4	25,38,63
<i>Epinotia solandriana</i>	13/2	41,60
<i>Epinotia immundana</i>	13/4	12,39,43,54

<b>Nut Bud Moth</b>		
<i>Epinotia tenerana</i>	5/3	60,90,H33
<b><i>Epinotia ramella</i></b>	72/32	BCDFGIKNO
<b><i>Epinotia bilunana</i></b>	2/1	Wood Walton Fen (VC31)
<b><i>Epinotia nisella</i></b>	38/24	BCDEFGHIO
<b><i>Epinotia cinereana</i></b>	1/1	Botley Wood (VC11)
<b>Larch Tortrix</b>		
<i>Zeiraphera griseana</i>	3/2	96
<b><i>Zeiraphera isertana</i></b>	1/1	Calder Road (VC60)
<b><i>Crociosema plebejana</i></b>	6/6	ABCD
<b><i>Eucosma cana</i></b>	1/1	Ridlington Street (VC27)
<b><i>Eucosma hohenwartiana</i></b>	1/1	Old Weston (VC31)
<b>Bramble Shoot Moth</b>		
<i>Notocelia uddmanniana</i>	3/2	30,55
<i>Notocelia trimaculana</i>	3/1	Stackpole (VC45)
<b>Pine Leaf-mining Moth</b>		
<i>Clavigesta purdeyi</i>	18/3	3
<b><i>Dichrorampha acuminatana</i></b>	9/6	CFG
<b><i>Dichrorampha simpliciana</i></b>	2/1	Ipswich (VC25)
<b>Codling Moth</b>		
<i>Cydia pomonella</i>	13/11	ABCD FJ
<b><i>Cydia splendana</i></b>	90/57	ABCDEFGHIJ
<b><i>Cydia amplana</i></b>	2/1	Bailey's Hard (VC11)
<b><i>Lathronympha strigana</i></b>	4/3	25,44,46
<b>Plum Fruit Moth</b>		
<i>Grapholita funebrana</i>	1/1	Ramsgate (VC15)
<b><i>Grapholita janthinana</i></b>	1/1	Sapcote (VC55)
<b><i>Pammene aurita</i></b>	1/1	Channel Islands (VC113)
<b>Bee Moth</b>		
<i>Aphomia sociella</i>	3/3	9,26,96
<b>Lesser Wax Moth</b>		
<i>Achroia grisella</i>	2/2	45,58
<b>Wax Moth</b>		
<i>Galleria mellonella</i>	4/4	14,25,30
<b><i>Cryptoblabes bistriga</i></b>	3/2	11
<b><i>Delplanqueia dilutella</i></b>	20/1	Stackpole (VC45)
<b><i>Dioryctria sylvestrella</i></b>	1/1	Overstrand (VC27)
<b><i>Dioryctria simplicella</i></b>	1/1	Purdis Farm (VC25)
<b><i>Dioryctria abietella</i></b>	60/6	N
<b><i>Phycita roborella</i></b>	1/1	Shadoxhurst (VC15)
<b><i>Epischnia asteris</i></b>	1/1	Portland (VC9)
<b><i>Nephopterix angustella</i></b>	8/7	ABCD
<b><i>Acrobasis tumidana</i></b>	1/1	Sandown Road (VC15)
<b><i>Acrobasis advenella</i></b>	25/14	BCDEFJKM
<b><i>Acrobasis suavella</i></b>	1/1	The Old Brickfield SNCI (VC14)
<b><i>Acrobasis marmorea</i></b>	1/1	Newhaven (VC14)
<b><i>Euzophera pinguis</i></b>	1/1	Southsea (VC11)
<b><i>Phycitodes binaevella</i></b>	4/2	11
<b>Meal Moth</b>		
<i>Pyrallis farinalis</i>	1/1	Hythe (VC15)

<b>Gold Triangle</b>		
<i>Hypsopygia costalis</i>	20/15	BCDEJ
<i>Hypsopygia glaucinalis</i>	2/2	15,55
<i>Endotricha flammealis</i>	2/2	63
<i>Pyrausta despicata</i>	33/15	BCDG
<i>Pyrausta aurata</i>	22/16	BCDEJ
<i>Pyrausta purpuralis</i>	3/3	17,31,32
<i>Sitochroa palealis</i>	1/1	Sandown Road (VC15)
<i>Anania coronata</i>	2/2	11,14
<i>Anania crocealis</i>	8/5	CD
<b>Small Magpie</b>		
<i>Anania hortulata</i>	3/3	44,113
<b>European Corn-borer</b>		
<i>Ostrinia nubilalis</i>	2/2	3,17
<b>Rusty-dot Pearl</b>		
<i>Udea ferrugalis</i>	136/71	ABCDEFGIJP
<i>Udea lutealis</i>	17/14	EIKLMNO
<b>Mother of Pearl</b>		
<i>Pleuroptya ruralis</i>	312/180	ABCDEFGIJKNOP
<i>Mecyna asinalis</i>	1/1	Dale Fort (VC45)
<i>Palpita vitrealis</i>	7/6	BCDJ
<b>Rush Veneer</b>		
<i>Nomophila noctuella</i>	375/125	ABCDFGJLP
<b>Garden Pebble</b>		
<i>Evergestis forficalis</i>	34/35	BCDEFG
<i>Evergestis extimalis</i>	2/2	9,113
<i>Evergestis limbata</i>	1/1	Totland (VC10)
<i>Scoparia subfusca</i>	2/1	Dale Fort (VC45)
<i>Scoparia ambigualis</i>	20/10	GHJN
<i>Scoparia pyralella</i>	1/1	Glasgow Botanic Gardens (VC77)
<i>Eudonia lacustrata</i>	12/11	BGHIJM
<i>Eudonia angustea</i>	113/85	ABCDEGHIJKMNP
<i>Eudonia delunella</i>	11/3	2
<i>Eudonia truncicolella</i>	17/14	BCDFHIJMO
<i>Eudonia mercurella</i>	65/42	BCDEFGIJKMN
<i>Eudonia pallida</i>	30/22	BCDGI
<i>Chilo phragmitella</i>	3/3	31,60
<i>Calamotropha paludella</i>	1/1	Kew (VC61)
<b>Garden Grass-veneer</b>		
<i>Chrysoteuchia culmella</i>	7/6	BCDE
<i>Crambus pascuella</i>	2/2	31,54
<i>Crambus hamella</i>	18/7	CDJ
<i>Crambus perlella</i>	3/3	11,59,68
<i>Agriphila tristella</i>	125/79	BCDEFGJMNOP
<i>Agriphila inquinatella</i>	15/7	BCD
<i>Agriphila latistria</i>	12/10	CD
<i>Agriphila selasella</i>	7/6	BDJ
<i>Agriphila straminella</i>	26/22	BCDEFGJ
<i>Agriphila geniculea</i>	2075/184	ABCDEFGHIJ
<i>Catoptria pinella</i>	1/1	Kincardine (VC87)

<b>Catoptria margaritella</b>	8/2	96,98
<b>Catoptria falsella</b>	24/18	BCDEFI
<b>Brown China-mark</b>		
<i>Elophila nymphaeata</i>	11/10	CDGI
<b>Water Veneer</b>		
<i>Acentria ephemerella</i>	8/5	DEJ
<b>Small China-mark</b>		
<i>Cataclysta lemnata</i>	14/9	BCDEIJ
<b>Ringed China-mark</b>		
<i>Parapoynx stratiotata</i>	17/11	CDG
<b>Beautiful China-mark</b>		
<i>Nymphula nitidulata</i>	4/5	CD
<i>Donacaula forficella</i>	2/1	Crymlyn Bog (VC41)
<b>Oak Hook-tip</b>		
<i>Watsonalla binaria</i>	27/24	BCDGI
<b>Dusky Hook-tip</b>		
<i>Drepana curvatula</i>	1/1	Folks Wood, Hythe (VC15)
<b>Chinese Character</b>		
<i>Cilix glaucata</i>	22/18	ABCD
<b>Peach Blossom</b>		
<i>Thyatira batis</i>	2/2	1,9
<b>Figure of Eighty</b>		
<i>Tethea ocularis</i>	1/1	Bromham (VC30)
<b>Poplar Lutestring</b>		
<i>Tethea</i> or	1/1	Keswick School (VC70)
<b>Common Lutestring</b>		
<i>Ochropacha duplaris</i>	1/1	Glenfinnan Sawmill (VC97)
<b>Oak Lutestring</b>		
<i>Cymatophorina diluta</i>	23/13	CI
<b>Pale Eggar</b>		
<i>Trichiura crataegi</i>	48/35	BCDFGHIJNO
<b>Grass Eggar</b>		
<i>Lasiocampa trifolii</i>	6/1	Malborough: Bolberry Down (VC3)
<b>Oak Eggar</b>		
<i>Lasiocampa quercus</i>	4/4	1,44,113
<b>Drinker</b>		
<i>Euthrix potatoria</i>	9/8	BG
<b>Poplar Hawk-moth</b>		
<i>Laothoe populi</i>	1/1	Unknown (VC24)
<b>Convolvulus Hawk-moth</b>		
<i>Agrius convolvuli</i>	35/31	BCDEFGIJN
<b>Privet Hawk-moth</b>		
<i>Sphinx ligustri</i>	1/1	Branscombe (VC3)
<b>Pine Hawk-moth</b>		
<i>Sphinx pinastri</i>	3/3	8,22,28
<b>Humming-bird Hawk-moth</b>		
<i>Macroglossum stellatarum</i>	35/29	BCDEFGJ
<b>Striped Hawk-moth</b>		
<i>Hyles livornica</i>	1/1	St Columb Minor (VC1)
<b>Elephant Hawk-moth</b>		

<i>Deilephila elpenor</i>	2/2	40,59
<b>Least Carpet</b>		
<i>Idaea rusticata</i>	1/1	Rye Meads RSPB (VC20)
<b>Small Dusty Wave</b>		
<i>Idaea seriata</i>	103/63	ABCDEI
<b>Satin Wave</b>		
<i>Idaea subsericeata</i>	3/3	10,11,25
<b>Single-dotted Wave</b>		
<i>Idaea dimidiata</i>	25/21	ABCDEGIJ
<b>Small Fan-footed Wave</b>		
<i>Idaea biselata</i>	26/20	ABCDGIJMN
<b>Riband Wave</b>		
<i>Idaea aversata</i>	25/24	ACEFHIJNP
<b>Portland Ribbon Wave</b>		
<i>Idaea degeneraria</i>	5/3	3,113
<b>Mullein Wave</b>		
<i>Scopula marginepunctata</i>	27/18	ABCDG
<b>Small Blood-vein</b>		
<i>Scopula imitaria</i>	11/11	BCD
<b>Blood-Vein</b>		
<i>Timandra comae</i>	42/36	ABCDEGJ
<b>Mocha</b>		
<i>Cyclophora annularia</i>	2/2	6,10
<b>Blair's Mocha</b>		
<i>Cyclophora puppillaria</i>	1/1	Totland (VC10)
<b>Jersey Mocha</b>		
<i>Cyclophora ruficiliaria</i>	3/2	113
<b>Maiden's Blush</b>		
<i>Cyclophora punctaria</i>	88/55	ABCDEF
<b>Clay Triple-lines</b>		
<i>Cyclophora linearia</i>	3/3	3,15,24
<b>Vestal</b>		
<i>Rhodometra sacraria</i>	63/48	ABCDF
<b>Oblique Striped</b>		
<i>Phibalapteryx virgata</i>	1/1	Portsmouth (VC11)
<b>Shaded Broad-bar</b>		
<i>Scotopteryx chenopodiata</i>	3/3	44,61,H33
<b>Oblique Carpet</b>		
<i>Orthonama vittata</i>	24/14	BDGIP
<b>Gem</b>		
<i>Nycterosea obstipata</i>	1/1	Bawdsey Hall (VC25)
<b>Red Carpet</b>		
<i>Xanthorhoe decoloraria</i>	4/4	5,97,98
<b>Garden Carpet</b>		
<i>Xanthorhoe fluctuata</i>	506/297	ABCDEFGHIJKMNOP
<b>Red Twin-spot Carpet</b>		
<i>Xanthorhoe spadicearia</i>	8/5	ABCD
<b>Dark-barred Twin-spot Carpet</b>		
<i>Xanthorhoe ferrugata</i>	4/4	31,44,47,60
<b>Flame Carpet</b>		



<i>Xanthorhoe designata</i>	76/58	BCEFGHIJMNOP
<b>Yellow Shell</b>		
<i>Campotogramma bilineata</i>	70/58	ABCDEFGGIJMN
<b>Common Carpet</b>		
<i>Epirrhoe alternata</i>	124/80	ABCDEFGFGHIJMNOP
<b>Galium Carpet</b>		
<i>Epirrhoe galiata</i>	7/5	BC
<b>Mallow</b>		
<i>Larentia clavaria</i>	2/2	31,61
<b>July Highflier</b>		
<i>Hydriomena furcata</i>	356/74	BDGHIJLMNOP
<b>Pine Carpet</b>		
<i>Pennithera firmata</i>	78/36	BCDEFGIJMN
<b>Spruce Carpet</b>		
<i>Thera britannica</i>	30/23	BCDEFGHIJKM
<b>Grey Pine Carpet</b>		
<i>Thera obeliscata</i>	41/30	BCDEFGIJMN
<b>Juniper Carpet</b>		
<i>Thera juniperata</i>	1/1	Township Plantation (VC69)
<b>Blue-bordered Carpet</b>		
<i>Plemyria rubiginata</i>	2/2	44,64
<b>Purple Bar</b>		
<i>Cosmorhoe ocellata</i>	67/38	BCDGHINP
<b>Phoenix</b>		
<i>Eulithis prunata</i>	1/1	Marbury Country Park (VC58)
<b>Chevron</b>		
<i>Eulithis testata</i>	106/38	BCDGIJKNO
<b>Northern Spinach</b>		
<i>Eulithis populata</i>	49/18	IJMN
<b>Barred Straw</b>		
<i>Gandaritis pyraliata</i>	7/6	IN
<b>Small Phoenix</b>		
<i>Ecliptopera silaceata</i>	62/44	BCEFGHIJKMNP
<b>Red-Green Carpet</b>		
<i>Chloroclysta siterata</i>	47/42	BCDEFGHIJKMO
<b>Autumn Green Carpet</b>		
<i>Chloroclysta miata</i>	1/1	Beulah (VC42)
<b>Common Marbled Carpet</b>		
<i>Dysstroma truncata</i>	694/298	BCDEFGHIJKLMNOP
<b>Dark Marbled Carpet</b>		
<i>Dysstroma citrata</i>	144/43	FGHIJKMNO
<b>Green Carpet</b>		
<i>Colostygia pectinataria</i>	469/232	ABCDEFGGIJP
<b>Striped Twin-spot Carpet</b>		
<i>Coenoteophria salicata</i>	5/3	44,64,97
<b>Devon Carpet</b>		
<i>Lampropteryx otregiata</i>	11/7	BGIJ
<b>Autumnal Moth</b>		
<i>Epirrita autumnata</i>	1/1	Darley Dale (VC57)
<b>Small Autumnal Moth</b>		

<i>Epirrita filigrammaria</i>	5/4	60,65,88,98
<b>Dark Umber</b>		
<i>Philereme transversata</i>	1/1	Rowhill Nature Reserve (VC17)
<b>Scallop Shell</b>		
<i>Hydria undulata</i>	1/1	Denham Ave, Llanelli (VC44)
<b>Tissue</b>		
<i>Triphosa dubitata</i>	1/1	Berrow (VC6)
<b>Pretty Chalk Carpet</b>		
<i>Melanthia procellata</i>	7/2	3,10
<b>Twin-spot Carpet</b>		
<i>Mesotype didymata</i>	5/4	97,110,H33
<b>Pretty Pinion</b>		
<i>Perizoma blandiata</i>	1/1	Glenfinnan Sawmill (VC97)
<b>Grass Rivulet</b>		
<i>Perizoma albulata</i>	1/1	Wanstead (VC18)
<b>Double-striped Pug</b>		
<i>Gymnoscelis rufifasciata</i>	167/116	ABCDEFGFI
<b>V-Pug</b>		
<i>Chloroclystis v-ata</i>	1/1	Hardcastle Crags (VC63)
<b>Green Pug</b>		
<i>Pasiphila rectangulata</i>	1/1	Berrow (VC6)
<b>Brindled Pug</b>		
<i>Eupithecia abbreviata</i>	1/1	Tatworth (VC5)
<b>Juniper Pug</b>		
<i>Eupithecia pusillata</i>	13/4	60,96
<b>Cypress Pug</b>		
<i>Eupithecia phoeniceata</i>	43/34	ABCDG
<b>White-spotted Pug</b>		
<i>Eupithecia tripunctaria</i>	1/1	Weethley Wood (VC38)
<b>Ash Pug</b>		
<i>Eupithecia innotata f. fraxinata</i>	4/4	25,61
<b>Lime-speck Pug</b>		
<i>Eupithecia centaureata</i>	75/43	ABCDEFGFJ
<b>Wormwood Pug</b>		
<i>Eupithecia absinthiata</i>	2/2	25,97
<b>Currant Pug</b>		
<i>Eupithecia assimilata</i>	1/1	Abbotskerswell (VC3)
<b>Common Pug</b>		
<i>Eupithecia vulgata</i>	1/1	London Colney (VC20)
<b>Tawny Speckled Pug</b>		
<i>Eupithecia icterata</i>	18/15	CDFGMN
<b>Bordered Pug</b>		
<i>Eupithecia succenturiata</i>	2/1	56
<b>Treble-bar</b>		
<i>Aplocera plagiata</i>	82/20	BCDFGI
<b>Lesser Treble-bar</b>		
<i>Aplocera efformata</i>	3/2	11,63
<b>Yellow-barred Brindle</b>		
<i>Acasis viretata</i>	26/22	ABCDGI
<b>Orange Underwing</b>		

<i>Archiearis parthenias</i>	1/1	Unknown (VC24)
<b>Magpie Moth</b>		
<i>Abraxas grossulariata</i>	47/37	BCEFGIJNP
<b>Clouded Border</b>		
<i>Lomaspilis marginata</i>	3/1	Glenfinnan Sawmill (VC97)
<b>Scorched Carpet</b>		
<i>Ligdia adustata</i>	1/1	Rippingale (VC53)
<b>Peacock Moth</b>		
<i>Macaria notata</i>	1/1	Bishopstoke (VC11)
<b>Tawny-barred Angle</b>		
<i>Macaria liturata</i>	1/1	Bournemouth (VC11)
<b>Latticed Heath</b>		
<i>Chiasmia clathrata</i>	7/6	BDE
<b>Brimstone Moth</b>		
<i>Opisthograptis luteolata</i>	1050/398	ABCDEFGHJKLMOP
<b>Bordered Beauty</b>		
<i>Epione repandaria</i>	12/12	CDFGMN
<b>Large Thorn</b>		
<i>Ennomos autumnaria</i>	7/7	CD
<b>August Thorn</b>		
<i>Ennomos quercinaria</i>	39/26	BCDFGILP
<b>Canary-shouldered Thorn</b>		
<i>Ennomos alniaria</i>	326/202	ABCDEFGHIJKLMNOP
<b>Dusky Thorn</b>		
<i>Ennomos fuscantaria</i>	330/191	BCDEFGIJKL
<b>September Thorn</b>		
<i>Ennomos erosaria</i>	41/29	BCEFGHIJM
<b>Early Thorn</b>		
<i>Selenia dentaria</i>	20/17	ABGLP
<b>Purple Thorn</b>		
<i>Selenia tetralunaria</i>	2/2	18
<b>Scalloped Oak</b>		
<i>Crocallis elinguaris</i>	5/5	BDIOP
<b>Swallow-tailed Moth</b>		
<i>Ourapteryx sambucaria</i>	1/1	Twickenham (VC21)
<b>Feathered Thorn</b>		
<i>Colotois pennaria</i>	2/2	21,66
<b>Waved Umber</b>		
<i>Menophra abruptaria</i>	2/2	113
<b>Willow Beauty</b>		
<i>Peribatodes rhomboidaria</i>	286/162	ABCDEFGHIJM
<b>Satin Beauty</b>		
<i>Deileptenia ribeata</i>	5/2	2,44
<b>Mottled Beauty</b>		
<i>Alcis repandata</i>	4/4	11,12,25,43
<b>Dotted Carpet</b>		
<i>Alcis jubata</i>	2/2	96,98
<b>Great Oak Beauty</b>		
<i>Hypomecis roboraria</i>	1/1	Slip End (VC20)
<b>Engrailed</b>		

<i>Ectropis bistortata</i>	5/5	CDE
<b>Common White Wave</b>		
<i>Cabera pusaria</i>	4/4	1,17,97,106
<b>Common Wave</b>		
<i>Cabera exanthemata</i>	10/9	BCEGJP
<b>Light Emerald</b>		
<i>Campaea margaritaria</i>	670/261	ABCDEFGF
<b>Barred Red</b>		
<i>Hylaea fasciaria</i>	6/5	DEN
<b>Annulet</b>		
<i>Charissa obscurata</i>	6/3	4,45
<b>Yellow Belle</b>		
<i>Aspitates ochrearia</i>	55/16	ABCDG
<b>Grass Emerald</b>		
<i>Pseudoterpna pruinata</i>	4/3	15,H12
<b>Small Emerald</b>		
<i>Hemistola chrysoprasaria</i>	8/6	BCD
<b>Little Emerald</b>		
<i>Jodis lactearia</i>	1/1	Hordean (VC11)
<b>Common Emerald</b>		
<i>Hemithea aestivaria</i>	1/1	The Apiary (VC33)
<b>Oak Processionary</b>		
<i>Thaumetopoea processionea</i>	1/1	Esher (VC17)
<b>Iron Prominent</b>		
<i>Notodonta dromedarius</i>	2/2	8,79
<b>Swallow Prominent</b>		
<i>Pheosia tremula</i>	4/4	8,15,22,59
<b>Lesser Swallow Prominent</b>		
<i>Pheosia gnoma</i>	49/30	BCDEFGI
<b>Coxcomb Prominent</b>		
<i>Ptilodon capucina</i>	3/3	11,15,44
<b>Herald</b>		
<i>Scoliopteryx libatrix</i>	3/3	44,58
<b>Straw Dot</b>		
<i>Rivula sericealis</i>	413/158	BCDEFGIJ
<b>Snout</b>		
<i>Hypena proboscidalis</i>	417/199	ABCDEFGFIJN
<b>Buttoned Snout</b>		
<i>Hypena rostralis</i>	1/1	Dingestow Court (VC35)
<b>Bloxworth Snout</b>		
<i>Hypena obsitalis</i>	2/2	11,15
<b>Black Arches</b>		
<i>Lymantria monacha</i>	26/21	ABCDEFGH
<b>Yellow-tail</b>		
<i>Euproctis similis</i>	20/13	BDEG
<b>Vapourer</b>		
<i>Orgyia antiqua</i>	17/16	BCDEIK
<b>Buff Ermine</b>		
<i>Spilosoma lutea</i>	3/3	1,33,62
<b>White Ermine</b>		

<i>Spilosoma lubricipeda</i>	1/1	Brenchley (VC16)
<b>Clouded Buff</b>		
<i>Diacrisia sannio</i>	1/1	Orford Ness (VC25)
<b>Ruby Tiger</b>		
<i>Phragmatobia fuliginosa</i>	14/11	ABCDF
<b>Garden Tiger</b>		
<i>Arctia caja</i>	2/2	11
<b>Jersey Tiger</b>		
<i>Euplagia quadripunctaria</i>	2/2	9,10
<b>Rosy Footman</b>		
<i>Mitochondria miniata</i>	20/13	ABCG
<b>Four-dotted Footman</b>		
<i>Cybosia mesomella</i>	1/1	St Margaret's at Cliffe (VC15)
<b>Four-spotted Footman</b>		
<i>Lithosia quadra</i>	45/20	ABCD
<b>Buff Footman</b>		
<i>Eilema depressa</i>	12/7	BGHP
<b>Dingy Footman</b>		
<i>Eilema griseola</i>	49/35	BCDEGHI
<b>Common Footman</b>		
<i>Eilema lurideola</i>	9/5	ABCD
<b>Scarce Footman</b>		
<i>Eilema complana</i>	1/1	Davenham (VC58)
<b>Hoary Footman</b>		
<i>Eilema caniola</i>	18/11	ABCG
<b>Fan-foot</b>		
<i>Herminia tarsipennalis</i>	1/2	3,55
<b>Plumed Fan-foot</b>		
<i>Pechipogo plumigeralis</i>	1/1	Southend-on-Sea (VC18)
<b>Marsh Oblique-barred</b>		
<i>Hypenodes humidalis</i>	1/1	Tynwaun, Pwll (VC44)
<b>Pinion-streaked Snout</b>		
<i>Schrankia costaestrigalis</i>	41/24	BCDGIMN
<b>Beautiful Hook-tip</b>		
<i>Laspeyria flexula</i>	2/2	20,22
<b>Clifden Nonpareil</b>		
<i>Catocala fraxini</i>	17/16	BC
<b>Red Underwing</b>		
<i>Catocala nupta</i>	45/45	ABCDEFGIJ
<b>Spectacle</b>		
<i>Abrostola tripartita</i>	28/27	BCDEFIJ
<b>Dark Spectacle</b>		
<i>Abrostola triplasia</i>	22/18	ABCD
<b>Ni Moth</b>		
<i>Trichoplusia ni</i>	13/4	1,9,14,17
<b>Dewick's Plusia</b>		
<i>Macdunnoughia confusa</i>	2/2	9,30
<b>Burnished Brass</b>		
<i>Diachrysia chrysitis</i>	162/122	ABCDEFGJMNP
<b>Silver Y</b>		

<i>Autographa gamma</i>	1517/435	ABCDEFGHJKLMNPO
<b>Beautiful Golden Y</b>		
<i>Autographa pulchrina</i>	3/3	43,88,110
<b>Gold Spangle</b>		
<i>Autographa bractea</i>	3/3	88,98,106
<b>Scarce Silver Y</b>		
<i>Syngrapha interrogationis</i>	3/2	59,96
<b>Gold Spot</b>		
<i>Plusia festucae</i>	62/40	CDEFGHIKMNOP
<b>Silver Hook</b>		
<i>Deltote uncula</i>	15/1	27
<b>Grey Dagger</b>		
<i>Acronicta psi</i>	1/1	Botley Wood (VC11)
<b>Knot Grass</b>		
<i>Acronicta rumicis</i>	8/5	ABG
<b>Coronet</b>		
<i>Craniophora ligustri</i>	4/2	113
<b>Mullein</b>		
<i>Cucullia verbasci</i>	1/1	Church Cove (VC1)
<b>Anomalous</b>		
<i>Stilbia anomala</i>	32/12	BGKMNP
<b>Copper Underwing</b>		
<i>Amphipyra pyramidea</i>	245/150	ABCDEFGHJIJMP
<b>Svensson's Copper Underwing</b>		
<i>Amphipyra berbera</i>	56/42	BCDEFIJKM
<b>Mouse Moth</b>		
<i>Amphipyra tragopoginis</i>	242/138	BCDEFIJKLMNO
<b>Green-brindled Crescent</b>		
<i>Allophyes oxyacanthae</i>	1/1	Kilmacolm (VC76)
<b>Bordered Sallow</b>		
<i>Pyrrhia umbra</i>	1/1	Samphire Hoe (VC15)
<b>Bordered Straw</b>		
<i>Heliothis peltigera</i>	17/11	BCDEIJ
<b>Scarce Bordered Straw</b>		
<i>Helicoverpa armigera</i>	55/39	ABCDEFGF
<b>Tree-lichen Beauty</b>		
<i>Cryphia algae</i>	1/1	Ramsgate (VC15)
<b>Marbled Beauty</b>		
<i>Bryophila domestica</i>	60/46	BCDEFGIN
<b>Marbled Green</b>		
<i>Nyctobrya muralis</i>	6/5	CG
<b>Marbled Green</b>		
<i>Cryphia muralis</i>	1/1	Ely (VC29)
<b>Small Mottled Willow</b>		
<i>Spodoptera exigua</i>	34/22	BCDEFIJ
<b>Mottled Rustic</b>		
<i>Caradrina morpheus</i>	2/2	19,56
<b>Pale Mottled Willow</b>		
<i>Caradrina clavipalpis</i>	332/162	ABCDEFGHJIJP
<b>Uncertain</b>		

<i>Hoplodrina octogenaria</i>	44/22	BCDM
<b>Rustic</b>		
<i>Hoplodrina blanda</i>	87/36	BCDEFGN
<b>Vine's Rustic</b>		
<i>Hoplodrina ambigua</i>	1603/298	ABCDEFGGJ
<b>Silky Wainscot</b>		
<i>Chilodes maritima</i>	2/1	Cley Marshes (VC27)
<b>Brown Rustic</b>		
<i>Rusina ferruginea</i>	2/1	Priory Water (VC55)
<b>Old Lady</b>		
<i>Mormo maura</i>	44/37	ACDEFGN
<b>Straw Underwing</b>		
<i>Thalophila matura</i>	83/48	ABCDJN
<b>Angle Shades</b>		
<i>Phlogophora meticulosa</i>	619/339	ABCDEFGHIJKMP
<b>Haworth's Minor</b>		
<i>Celaena haworthii</i>	9/5	INOP
<b>Crescent</b>		
<i>Helotropha leucostigma</i>	22/13	CDJMNOP
<b>Frosted Orange</b>		
<i>Gortyna flavago</i>	127/102	BCDEFGIJKMNP
<b>Rosy Rustic</b>		
<i>Hydraecia micacea</i>	687/295	ABCDEFGHIJKLMNOP
<b>Butterbur</b>		
<i>Hydraecia petasitis</i>	2/1	Forston (VC9)
<b>Saltern Ear</b>		
<i>Amphipoea fucosa</i>	4/2	25
<b>Large Ear</b>		
<i>Amphipoea lucens</i>	8/3	63,97,110
<b>Ear Moth</b>		
<i>Amphipoea oculea</i>	16/6	IKMN
<b>Crinan Ear</b>		
<i>Amphipoea crinanensis</i>	2/1	Colt Park RIS (VC64)
<b>Flounced Rustic</b>		
<i>Luperina testacea</i>	1680/454	ABCDEFGHIJKLMNP
<b>Large Wainscot</b>		
<i>Rhizedra lutosa</i>	28/13	CDJP
<b>Bulrush Wainscot</b>		
<i>Nonagria typhae</i>	23/21	CDEGIJKMP
<b>Twin-spotted Wainscot</b>		
<i>Lenisa geminipuncta</i>	1/1	Pocket Park (VC29)
<b>Small Rufous</b>		
<i>Coenobia rufa</i>	4/2	1
<b>Small Wainscot</b>		
<i>Denticucullus pygmina</i>	206/100	ABCDEFGHIJMNOP
<b>Webb's Wainscot</b>		
<i>Globia sparganii</i>	5/5	CD
<b>Dusky Brocade</b>		
<i>Apamea remissa</i>	2/2	1
<b>Dark Arches</b>		

<i>Apamea monoglypha</i>	415/162	BCDEFGHIJKLMNOP
<b>Double Lobed</b>		
<i>Lateroligia ophiogramma</i>	3/2	17,90
<b>Common Rustic</b>		
<i>Mesapamea secalis</i>	65/38	BCDEGHIJLN
<b>Lesser Common Rustic</b>		
<i>Mesapamea didyma</i>	16/11	BCIJO
<b>Rosy Minor</b>		
<i>Litoligia literosa</i>	6/6	BDGIN
<b>Cloaked Minor</b>		
<i>Mesoligia furuncula</i>	7/6	BCD
<b>Beautiful Gothic</b>		
<i>Leucochlaena oditis</i>	7/2	3,9
<b>Orange Sallow</b>		
<i>Tiliacea citrigo</i>	21/17	CDFIJKM
<b>Barred Sallow</b>		
<i>Tiliacea aurago</i>	6/6	BDE
<b>Pink-barred Sallow</b>		
<i>Xanthia togata</i>	133/68	BCDEFGHIJKLMNOP
<b>Sallow</b>		
<i>Cirrhia icteritia</i>	156/94	BCDEFGHIJMNOP
<b>Pale-lemon Sallow</b>		
<i>Cirrhia ocellaris</i>	4/1	Great Bircham (VC28)
<b>Beaded Chestnut</b>		
<i>Agrochola lychnidis</i>	23/19	BCDEFIJM
<b>Brown-spot Pinion</b>		
<i>Agrochola litura</i>	623/109	CDEFGHIJKMNO
<b>Flounced Chestnut</b>		
<i>Agrochola helvola</i>	14/7	GIJKN
<b>Red-line Quaker</b>		
<i>Agrochola lota</i>	1/1	Heysham Nature Reserve (VC60)
<b>Brick</b>		
<i>Agrochola circellaris</i>	9/8	BCDFJK
<b>Lunar Underwing</b>		
<i>Omphaloscelis lunosa</i>	627/264	BCDEFIJNOP
<b>Chestnut</b>		
<i>Conistra vaccinii</i>	2/2	60
<b>Tawny Pinion</b>		
<i>Lithophane semibrunnea</i>	1/1	Norchard (VC37)
<b>Blair's Shoulder-knot</b>		
<i>Lithophane leautieri</i>	1/1	Topsham (VC3)
<b>Golden-rod Brindle</b>		
<i>Xylena solidaginis</i>	11/7	JN
<b>Satellite</b>		
<i>Eupsilia transversa</i>	2/2	10,55
<b>Angle-striped Sallow</b>		
<i>Enargia paleacea</i>	14/10	EJN
<b>Olive</b>		
<i>Ipimorpha subtusa</i>	1/1	Herring Head Wood (VC60)
<b>Dun-bar</b>		



<i>Cosmia trapezina</i>	33/25	BEFGIJKMNP
<b>Centre-barred Sallow</b>		
<i>Atethmia centrugo</i>	397/238	BCDEFGHIJKLMNOP
<b>Minor Shoulder-knot</b>		
<i>Brachylomia viminalis</i>	1/1	Boat of Garten (VC95)
<b>Suspected</b>		
<i>Parastichtis suspecta</i>	4/4	20,88,96
<b>Dingy Shears</b>		
<i>Apterogeton ypsilon</i>	2/1	Tewkesbury (VC33)
<b>Brindled Green</b>		
<i>Dryobotodes eremita</i>	29/27	BCDEFGIJ
<b>Grey Chi</b>		
<i>Antitype chi</i>	11/8	GIKMNO
<b>Feathered Brindle</b>		
<i>Aporophyla australis</i>	13/8	CDP
<b>Deep-brown Dart</b>		
<i>Aporophyla lutulenta</i>	6/5	DEF
<b>Northern Deep-brown Dart</b>		
<i>Aporophyla lueneburgensis</i>	9/2	96,110
<b>Black Rustic</b>		
<i>Aporophyla nigra</i>	92/46	BCDEFGJMNO
<b>Feathered Ranunculus</b>		
<i>Polymixis lichenea</i>	27/20	ABCDG
<b>Black-banded</b>		
<i>Polymixis xanthomista</i>	3/3	1,45,46
<b>Large Ranunculus</b>		
<i>Polymixis flavicincta</i>	13/8	BDJ
<b>Dark Brocade</b>		
<i>Mniotype adusta</i>	1/1	Ealing (VC21)
<b>Common Quaker</b>		
<i>Orthosia cerasi</i>	21/6	BCDF
<b>Small Quaker</b>		
<i>Orthosia cruda</i>	4/2	20
<b>Hedge Rustic</b>		
<i>Tholera cespitis</i>	155/53	BCDEGHIKNOP
<b>Feathered Gothic</b>		
<i>Tholera decimalis</i>	414/150	ABCDEFGHIJ
<b>Antler Moth</b>		
<i>Cerapteryx graminis</i>	34/19	BCDGHINP
<b>Nutmeg</b>		
<i>Anarta trifolii</i>	2/2	25,27
<b>Broad-bordered White Underwing</b>		
<i>Anarta melanopa</i>	1/1	Portland (VC9)
<b>Silvery Arches</b>		
<i>Polia hepatica</i>	1/1	Brenchley (VC16)
<b>Grey Arches</b>		
<i>Polia nebulosa</i>	5/1	Keswick School (VC70)
<b>Dog's Tooth</b>		
<i>Lacanobia suasa</i>	1/1	Samphire Hoe (VC15)
<b>Bright-line Brown-eye</b>		

<i>Lacanobia oleracea</i>	134/62	ABCDEJK
<b>Dot Moth</b>		
<i>Melanchra persicariae</i>	4/2	9
<b>Cabbage Moth</b>		
<i>Mamestra brassicae</i>	45/41	ABCDEF
<b>White Colon</b>		
<i>Sideridis turbida</i>	2/1	Hordean (VC11)
<b>Campion</b>		
<i>Sideridis rivularis</i>	1/1	Bexhill-on-Sea (VC14)
<b>Lychnis</b>		
<i>Hadena bicruris</i>	1/1	Noss Mayo (VC3)
<b>Brown-line Bright-eye</b>		
<i>Mythimna conigera</i>	8/2	25,28
<b>Common Wainscot</b>		
<i>Mythimna pallens</i>	750/245	ABCDEFGHIJNOP
<b>Mathew's Wainscot</b>		
<i>Mythimna favicolor</i>	1/1	Sandwich (VC15)
<b>Smoky Wainscot</b>		
<i>Mythimna impura</i>	69/36	ABCDEFGHIJNOP
<b>Southern Wainscot</b>		
<i>Mythimna straminea</i>	8/6	CDIJM
<b>Delicate</b>		
<i>Mythimna vitellina</i>	5/5	AC
<b>White-speck</b>		
<i>Mythimna unipuncta</i>	8/4	3,7,9
<b>White-point</b>		
<i>Mythimna albipuncta</i>	429/143	ABCD
<b>Clay</b>		
<i>Mythimna ferrago</i>	10/9	BCDIN
<b>L-album Wainscot</b>		
<i>Mythimna l-album</i>	71/42	ABCD
<b>Devonshire Wainscot</b>		
<i>Leucania putrescens</i>	1/1	Channel Islands (VC113)
<b>Pearly Underwing</b>		
<i>Peridroma saucia</i>	19/16	ABCDEP
<b>Square-spot Dart</b>		
<i>Euxoa obelisca</i>	22/6	CDG
<b>White-line Dart</b>		
<i>Euxoa tritici</i>	54/16	CDIKNOP
<b>Garden Dart</b>		
<i>Euxoa nigricans</i>	7/4	11,18,56,95
<b>Light Feathered Rustic</b>		
<i>Agrotis cinerea</i>	1/1	London Colney (VC20)
<b>Heart and Dart</b>		
<i>Agrotis exclamationis</i>	21/11	BCDFGI
<b>Turnip Moth</b>		
<i>Agrotis segetum</i>	183/113	ABCDEFGHJIJ
<b>Archer's Dart</b>		
<i>Agrotis vestigialis</i>	57/13	BCDGKNP
<b>Crescent Dart</b>		

<i>Agrotis trux</i>	16/7	AB
<b>Shuttle-shaped Dart</b>		
<i>Agrotis puta</i>	141/104	ABCDEFGHIIJK
<b>Dark Sword-grass</b>		
<i>Agrotis ipsilon</i>	130/73	ABCDEFGHIIJM
<b>Flame</b>		
<i>Axylia putris</i>	12/3	1,44,113
<b>Flame Shoulder</b>		
<i>Ochropleura plecta</i>	515/239	ABCDEFGHIIJP
<b>Barred Chestnut</b>		
<i>Diarsia dahlia</i>	44/18	CIMNO
<b>Purple Clay</b>		
<i>Diarsia brunnea</i>	5/4	5,41,97,110
<b>Ingrailed Clay</b>		
<i>Diarsia mendica</i>	52/12	CDFGIMNO
<b>Small Square-spot</b>		
<i>Diarsia rubi</i>	2109/397	ABCDEFGHIIJKMNP
<b>True Lover's Knot</b>		
<i>Lycophotia porphyrea</i>	1/1	South Glendale (VC110)
<b>Dotted Rustic</b>		
<i>Rhyacia simulans</i>	3/3	18,22,23
<b>Northern Rustic</b>		
<i>Standfussiana lucerneae</i>	1/1	Redheugh (VC81)
<b>Large Yellow Underwing</b>		
<i>Noctua pronuba</i>	26005/1058	ABCDEFGHIIJKLMNOP
<b>Broad-bordered Yellow Underwing</b>		
<i>Noctua fimbriata</i>	550/284	ABCDEFGHIIJKLMNOP
<b>Lunar Yellow Underwing</b>		
<i>Noctua orbona</i>	29/16	BCDE
<b>Lesser Yellow Underwing</b>		
<i>Noctua comes</i>	3797/788	ABCDEFGHIIJKLMNOP
<b>Least Yellow Underwing</b>		
<i>Noctua interjecta</i>	35/16	ACDEIJLN
<b>Lesser Broad-bordered Yellow Underwing</b>		
<i>Noctua janthe</i>	463/229	ABCDEFGHIIJKLMNOP
<b>Great Brocade</b>		
<i>Eurois occulta</i>	19/7	CDI
<b>Dotted Clay</b>		
<i>Xestia baja</i>	12/11	CGIMNO
<b>Square-spotted Clay</b>		
<i>Xestia stigmatica</i>	4/4	9,25,30
<b>Neglected Rustic</b>		
<i>Xestia castanea</i>	44/19	CFGIMNO
<b>Heath Rustic</b>		
<i>Xestia agathina</i>	40/17	BCDIJMNO
<b>Square-spot Rustic</b>		
<i>Xestia xanthographa</i>	6208/827	ABCDEFGHIIJKLMNOP
<b>Six-striped Rustic</b>		
<i>Xestia sexstrigata</i>	48/30	BCDEFJ
<b>Setaceous Hebrew Character</b>		

<i>Xestia c-nigrum</i>	4992/628	ABCDEFGHIJKNP
<b>Double Square-spot</b>		
<i>Xestia triangulum</i>	5/2	1,3
<b>Autumnal Rustic</b>		
<i>Eugnorisma glareosa</i>	313/103	BCDEFGIJKLMNOP
<b>Plain Clay</b>		
<i>Eugnorisma depuncta</i>	8/4	79,96
<b>Gothic</b>		
<i>Naenia typica</i>	2/2	25,51
<b>Green Silver-lines</b>		
<i>Pseudoips prasinana</i>	1/1	Channel Islands (VC113)
<b>Oak Nycteoline</b>		
<i>Nycteola revayana</i>	3/3	60,106

*Mark Tunmore, Tremeneth, Church Cove Road,  
Lizard, Cornwall, TR12 7PQ*

*Les Evans-Hill, Butterfly Conservation,  
Manor Yard, East Lulworth,  
Wareham, Dorset, BH20 5QP*